

## Kyoritsu 2017 Digital Clamp Meter



Measures current, voltage, resistance, and continuity

Rating: Not Rated Yet

[Ask a question about this product](#)

Manufacturer: [Kyoritsu](#)

Description

### Overview

- Φ33 MAX AC Ω  
AC/2000V V Continuity
- Tear drop shaped jaws for ease of use in tight places and crowded cable areas.
- Designed to meet internationally proven safety standards such as IEC 61010-1, UL3111 and VDE0411.
- Three functions in one unit; AC current, AC voltage and resistance.
- Resistance range provides audible continuity test.
- Frequency response from 40Hz to 1kHz on AC current and voltage ranges.

### Specifications

<b>AC A</b>	200/600A  ±1.5%rdg±4dgt [50/60Hz] (200A)  ±1%rdg±3dgt [50/60Hz] (600A)  ±2%rdg±5dgt [45Hz~1kHz]
<b>AC V</b>	200/600V  ±1%rdg±2dgt [50/60Hz]  ±1.5%rdg±4dgt [45Hz~1kHz]
<b>?</b>	200?  ±1.2%rdg±2dgt
<b>Continuity buzzer</b>	buzzer sounds below 30±20?
<b>Conductor Size</b>	Ø33mm max.
<b>Safety Standard</b>	IEC 61010-1 CAT.III 600V Pollution Degree 2 IEC 61010-2-031
<b>Frequency Response</b>	45Hz~1kHz
<b>Withstand Voltage</b>	5550V AC for 1 minute
<b>Power Source</b>	6F22 (9V) × 1
<b>Dimensions</b>	208(L) × 91(W) × 40(D)mm
<b>Weight</b>	400g approx.
<b>Accessories</b>	7066 (Test Leads)

9079 (Carrying Case)

6F22 x 1

Instruction Manual

**Optional** 8004/8008 (Multi-Tran)